

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/507,574	02/18/2000	Alex E. S. Green	GRE-100C2	9675	
23557	7590 08/18/2003				
SALIWANCHIK LLOYD & SALIWANCHIK A PROFESSIONAL ASSOCIATION 2421 N.W. 41ST STREET			EXAMINER		
			LEUNG, JENNIFER A		
SUITE A-1 GAINESVILLE, FL 326066669			ART UNIT	PAPER NUMBER	
•	- -,	·	1764		
			DATE MAILED: 08/18/2003	DATE MAILED: 08/18/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

"							
	Application No.	Applicant(s)					
	09/507,574	GREEN, ALEX E. S.					
Office Action Summary	Examiner	Art Unit					
	Jennifer A. Leung	1764					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with th	e correspondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	36(a). In no event, however, may a reply be within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS fit cause the application to become ABANDC	e timely filed days will be considered timely. rom the mailing date of this communication. NED (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on 14 A	April 2003 .						
2a)☐ This action is FINAL . 2b)⊠ Th	is action is non-final.						
3) Since this application is in condition for allowated closed in accordance with the practice under							
Disposition of Claims	Ex parte Quayre, 1905 C.D. 1	1, 400 0.0. 210.					
4) Claim(s) 1-24 is/are pending in the application).						
4a) Of the above claim(s) is/are withdraw	wn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-24</u> is/are rejected.							
7) Claim(s) is/are objected to.	7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine10) The drawing(s) filed on is/are: a) accept		ivaminer					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). 11) The proposed drawing correction filed on 14 April 2003 is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign	n priority under 35 U.S.C. § 11	9(a)-(d) or (f).					
a) ☐ Ail b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority document	s have been received.						
2. Certified copies of the priority documents have been received in Application No							
 3. Copies of the certified copies of the prio application from the International Bu * See the attached detailed Office action for a list 	reau (PCT Rule 17.2(a)).						
14) Acknowledgment is made of a claim for domesti							
a) ☐ The translation of the foreign language pro	ovisional application has been	received.					
Attachment(s)		•					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Inform	mary (PTO-413) Paper No(s) nal Patent Application (PTO-152)					

Art Unit: 1764

DETAILED ACTION

Response to Amendment

1. Applicant's amendment submitted on April 14, 2003 has been received and carefully considered. The changes made to the Specification and Drawings are acceptable. Claims 25-36 have been cancelled. Claims 1-24 remain active.

Terminal Disclaimer

2. The terminal disclaimer filed on April 14, 2003 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent 6,048,374 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Claim Objections

- 3. Claims 5, 6 and 17 are objected to because of the following informalities:
 - In claims 5 and 6, "C' and "F" should be changed to -- °C -- and -- °F --, respectively.
 - In claim 17, -- tube -- should be inserted after "said reactor" for consistency in claim terminology.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 18, 19 and 21-24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 1764

Regarding claim 18, "the feedstock residue" lacks proper positive antecedent basis.

Regarding claim 19, "the auger" lacks proper positive antecedent basis.

Regarding claim 21, the language of the claim is drawn to a method limitation, which renders the claim vague and indefinite, as it is unclear as to the structural limitation applicants are attempting to recite, since "the gas" is not considered an element of the apparatus.

Regarding claims 22 and 23, it is unclear as to the structural limitation applicants are attempting to recite, as the claims cover substantially identical subject matter, since the recitations of, "said device is useful for the pyrolysis of feedstock containing contaminants" and "said device is useful for phytomining" impart no additional structure to the claims, since the intended use of the apparatus is not an element of the apparatus. A recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. See *In re Casey*, 152 USPQ 235 (CCPA 1967) and *In re Otto*, 136 USPQ 458, 459 (CCPA 1963).

Regarding claim 24, "condensable gases" lacks proper positive antecedent basis.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1-3, 5, 6 and 8 are rejected under 35 U.S.C. 102(b) as being anticipated by Tarman (U.S. 4,578,176).

Art Unit: 1764

Regarding claim 1, Tarman (FIG. 1; generally, column 4, line 45 to column 8, line 59) discloses a process for pyrolysis of feedstock, comprising the following steps:

introducing feedstock into a device 10 via a solids feeding means 20 and moving the feedstock through a reactor tube (comprising solids conduit 60); and heating the feedstock within said reactor tube to a sufficient temperature such that pyrolysis occurs (column 5, lines 14-21);

wherein the feedstock is introduced into the reactor tube from an inner hopper (i.e., comprising solids preheat and pretreatment zone I) and gases of pyrolysis travel through the feedstock in the inner hopper I, the feed stock inherently acting as a filter, by virtue of the countercurrent gas-solid contact (column 6, lines 40-45; column 7, lines 30-50); and

wherein heat for heating the feedstock is generated by a heat source comprising, "hot particulates, hot gases or combustible materials for internal combustion within the heat addition zone" (column 8, lines 50-59).

Regarding claim 2, Tarman discloses the feedstock may comprise, "suitable solid organic carbonaceous material... selected from the group consisting of oil shale, coal, peat and biomass." (column 3, line 32 to column 4, line 44).

Regarding claim 3, the heat source of Tarman, comprising gases generated in the heat addition zone III, would inherently heat the feedstock within the reactor tube via the reactor tube wall (i.e., for solids conduit 60), by virtue of the placement of the tube within the device.

Regarding claim 5, Tarman discloses a temperature range from about 1400 °F to about 2000 °F to achieve the production of gases (column 5, lines 14-21).

Regarding claim 6, Tarman discloses a temperature range from about 800 °F to about 1200 °F to achieve the production of liquids (column 5, lines 14-21).

Art Unit: 1764

Regarding claim 8, Tarman further discloses an exit orifice (i.e., defined by control valve V6, comprising a trickle valve, seal-pot valve or J-valve; column 7, lines 45-50), the feedstock entering a pressure vessel (i.e., defining regions II, III and IV) upon passing the exit orifice.

Instant claims 1-3, 5, 6 and 8 read on the method of Tarman.

6. Claims 16-18, 22 and 23 are rejected under 35 U.S.C. 102(b) as being anticipated by Nathan et al. (U.S. 3,320,152).

Regarding claims 16 and 17, Nathan et al. (Figure) disclose a device comprising:

a reactor tube (standpipe 32) and a means for moving feedstock through the reactor tube 32, wherein the means comprises a rotating auger (i.e., rod 27/bars 29 or other suitable agitation means such as a screw feeding means; column 5, lines 25-30);

a means for heating the feedstock within said reactor tube **32** to a sufficient temperature (i.e., via combustion; gases; particulate material; column 2, line 62 to column 3, line 47; column 6, lines 65-74; column 7, line 72 to column 8, line 2); and

an inner hopper (mixing vessel or feed preparation zone 14), wherein the feedstock enters the reactor tube 32 from the inner hopper 14, and wherein gases travel through the feedstock in the inner hopper 14 such that said feedstock inherently acts as a filter, by virtue of the countercurrent gas-solid flow (column 4, lines 53-60).

Regarding claim 18, Nathan et al. (Figure; column 5, lines 15-23) disclose reactor tube 32 comprising an exit orifice (base of 32), the exit orifice communicating with pressure vessel 42.

Regarding claims 22 and 23, Nathan et al. further disclose means (coking zone vessel 42; Figure) for capturing the feedstock residue exiting the reactor tube 32.

Instant claims 16-18, 22 and 23 structurally read on the apparatus of Nathan et al.

Art Unit: 1764

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 4, 7 and 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tarman (U.S. 4,578,176).

Regarding claim 4, Tarman discloses feedstock being moved through reactor tube 60 via means of control valve V6, which may comprise a trickle valve, a seal-pot valve, or a J-valve (column 7, lines 45-50), but is silent as to whether the means may comprise a rotating auger. In any event, it would have been an obvious design choice for one of ordinary skill in the art at the time the invention was made to provide a rotating auger for the valve in the method of Tarman, since such means is well known in the art, and the rotating auger provides the substantially equivalent function of controlling the feedstock movement between two zones of the apparatus. Note that apparatus limitations, unless they affect the process in a manipulative sense, have little weight in process claims. *In re Tarczy-Hornoch* 158 USPQ 141, 150 (CCPA 1968); *In re Edwards* 128 USPQ 387 (CCPA 1961); *Stalego v. Heymes* 120 USPQ 473, 478 (CCPA 1959); *Ex parte Hart* 117 USPQ 193 (PO BdPatApp 1957); *In re Freeman* 44 USPQ 116 (CCPA 1940); *In re Sweeney* 72 USPQ 501 (CCPA 1947.

Regarding claim 7, although Tarman is silent as to whether the process may be conducted using a device comprising at least one additional reactor tube, it would have been an obvious design choice for one of ordinary skill in the art at the time the invention was made to provide at

Art Unit: 1764

least one additional reactor tube for conducting the method of Tarman, on the basis of suitability for the intended use (i.e., for increasing the throughput of feedstock), since the duplication of part was held to have been obvious. St. Regis Paper Co. v. Beemis Co. Inc. 193 USPQ 8, 11 (1977); In re Harza 124 USPQ 378 (CCPA 1960).

Regarding claims 13-15, Tarman discloses that for certain feedstock, "[t]he excess of the totals over 100 percent is thought to be due to weight gain by oxidation of metals in the mineral component during ashing," (column 4, lines 20-22), indicating that the process would be applicable to phytomining or the pyrolysis of feedstock comprising a contaminant, i.e., in this case, a metal contaminant. Although the specific metal contaminants are not disclosed by Tarman, one having ordinary skill in the art at the time the invention was made would recognize that the specific contaminant ultimately depends on the specific feedstock selected for pyrolysis.

8. Claims 9, 10 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tarman (U.S. 4,578,176) in view of Von Rosenberg, Jr. et al. (U.S. 4,278,446).

Regarding claims 9 and 10, Tarman is silent as to a step of injecting a gas into the reactor tube 60. Von Rosenberg, Jr. et al. teach a process for the gasification of a feedstock, such as carbonaceous matter, wherein the feedstock is flowed through a reactor tube (comprising taphole 33) and a hot combustion gas, comprising CO₂ and steam, is injected into the reactor tube. It would have been obvious for one of ordinary skill in the art at the time the invention was made to inject a gas into the reactor tube in the method of Tarman, "[i]n order to prevent freeze-up of slag in taphole 33," as taught by Von Rosenberg, Jr. (column 8, lines 34-40; Fig. 2).

Regarding claim 12, although the collective teachings of Tarman and Von Rosenberg, Jr. et al. are silent as to the step of controlling the flow of the gas into the reactor tube, it would have

Art Unit: 1764

been obvious for one of ordinary skill in the art at the time the invention was made to select an appropriate flow rate for the gas into the reactor tube in order to achieve a desired conversion rate to gases and/or liquids in the modified method of Tarman, since the precise gas flow rate would have been considered a result effective variable, and it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art, *In re Aller, 105 USPQ 233*.

9. Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tarman (U.S. 4,578,176) in view of Nehls, Jr. (U.S. 5,354,345).

Regarding claim 11, Tarman is silent as an auger comprising a hollow shaft having at least one opening, wherein gases of pyrolysis are capable of exiting through the hollow shaft. Nehls, Jr. (FIG. 8; column 32, line 16 to column 35, line 5) teach a process for pyrolyzing a feedstock, wherein the process is conducted with an auger 412 having a hollow shaft 415, wherein gases are capable of being injected into the downstream end of the auger via ports 455 for transport to the upstream end of the auger via egress ports 457. It would have been obvious for one of ordinary skill in the art at the time the invention was made to utilize a hollow shaft having at least one opening in the method of Tarman, because the provision of such means would further regulate the fluid levels between the two zones (i.e., feed preparation zone 14 and coking zone 42) of the apparatus, as taught by Nehls, Jr. (column 34, lines 3-13).

10. Claims 19 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nathan et al. (U.S. 3,320,152) in view of Nehls, Jr. (U.S. 5,354,345).

Regarding claims 19 and 24, Nathan et al. disclose that pyrolysis gases removed from vessel 14 via conduit 38 are condensed in an external condenser liquid separator 127 (Figure).

Art Unit: 1764

However, Nathan et al. are silent as to whether auger 27/29 may comprise a hollow shaft having at least one opening, or specifically means whereby a portion of the pyrolysis or external gases may be injected into a lower end of the shaft to hasten transport of the gases to condenser/ separator 127. Nehls, Jr. (FIG. 8; column 32, line 16 to column 35, line 5) teach an apparatus comprising an auger 412 having a hollow shaft 415, wherein gases would be capable of being injected into the downstream end via ports 455 for transport to the upstream end via egress ports 457. It would have been obvious for one of ordinary skill in the art at the time the invention was made to provide a hollow shaft having at least one opening for the auger shaft in the apparatus of Nathan et al., on the basis of suitability for the intended use, because the provision of such means further regulates the fluid levels between the two zones (i.e., feed preparation zone 14 and coking zone 42) of the apparatus, as taught by Nehls, Jr. (column 34, lines 3-13).

11. Claims 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nathan et al. (U.S. 3,320,152) in view of Von Rosenberg, Jr. et al. (U.S. 4,278,446).

Regarding claims 20 and 21, Nathan et al. are silent as to whether the apparatus may further comprise a means for injecting a gas into the exit orifice of the reactor tube 32. Von Rosenberg, Jr. et al. teach an apparatus for the gasification of a feedstock, the apparatus comprising a reactor tube (comprising taphole 33) and a means for injecting a hot combustion gas comprising CO₂ and steam into the reactor tube. It would have been obvious for one of ordinary skill in the art at the time the invention was made to provide such means to the apparatus of Nathan et al., on the basis of suitability for the intended use, "[i]n order to prevent freeze-up of slag in taphole 33," as taught by Von Rosenberg, Jr. (column 8, lines 34-40; Fig. 2).

Art Unit: 1764

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer A. Leung whose telephone number is 703-305-4951.

The examiner can normally be reached on 8:30 am - 5:30 pm M-F, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn A. Caldarola can be reached on 703-308-6824. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Jennifer A. Leung August 9, 2003

HIEN TRAN
PRIMARY EXAMINER

Hren Tran